CYCJET®

Shanghai Yuchang Industrial Co., Ltd.

CYCJET B SERIES
CIJ SMALL CHARACTER INKJET PRINTER

·SMART THINKING
·SMART PRINTING

CE TÜV SUD FDA SGS ISO

CYCJET B SERIES CIJ SMALL CHARACTER INKJET PRINTER

B3020   B3020i   B6040
B9080   BH3020   BW3020

INTRODUCE

CYCJET B series small character inkjet printer can achieve a max of 32 dot matrix printing. The high-resolution display and operation interfaces in Chinese, English, Arabic, Russian, Thai, Italian, and other languages enable users to quickly achieve the required functions and greatly improve the operation time. The innovative design of the circuit system, ink system, and nozzles enables the printer to achieve higher stability, and the nozzles are automatically cleaned at the end of each cycle to achieve reliable start/-stop performance without the need for daily cleaning. Widely used in high-speed production lines for food, beverages, alcohol, daily chemicals, petroleum, cables, pipes, etc.

HIGHLIGHTS

· Industrial grade design concept all stainless steel body, IP54 level.
· Integrated motherboard design to avoid circuit failures caused by aging connectors.
· Multilingual software, one-key switching.

PARAMETERS

Item\Model	B3020	B6040/B3020i	Bh3020	Bw3020	B9080
Nozzles	32dots				40dots
Nozzle Size	40/50/60/70u				
Operation Interface	Keyboard	Touch Screen	Keyboard	Keyboard	Touch Screen
Printing Lines	1-5 line				1-6 lines
Printing Fonts	5×5, 5×7, 7×9, 12×16, 18×24, 12×12, 16×16, Customized Fonts Supported				
Printing Height	1.2-15mm				
Printing Speed	Max 345m/min		Max 500m/min	Max 345m/min	
Ink System	Auto Self-cleaning				
Ink Supply Method	Ink Tank, Ink Cartridge(optional)				
Program	Standard, High Speed (optional)				
Language	Multi Languages				
Ink Color	Black, Blue, Red		Yellow, White (Pigment Ink)	Black, Blue, Red	
Protection Degree	Ip55 Industrial Protection				
External Interface	USB, Ethernet, RS232, Alarm Light				
Power Supply	100-240V, 50/60Hz				
Packing	56*45*62cm, 32.0kg				

DIMENSIONS

448mm (17.6") — 297mm (11.7")

505mm (19.9") — 400mm (15.8")

300mm (11.8")

565mm (22.3") — 400mm (15.8")

INK INTRODUCTION

· Fully enclosed modular ink system, suitable for various harsh environments.
· The automatic cleaning ink system design, greatly improves the performance of switching on and off.
· The ink refill system could refill and run simultaneously, without replacing the ink tank, saving running costs.


· Print Nozzle

· The automatic cleaning ink system design, greatly improves the performance of switching on and off.
· The anti-blocking nozzle design ensures the stability of the machine's continuous high-speed printing.
· The nozzle is structured without a PICO valve, which perfectly solves the problem of the high failure rate of thePICO valve.

DETAILS

APPLICATIONS

Chip

EPS Foam Sheet

HDPE Pipe White Ink

PCB Circuit Board

Packaging Box

Battery

Battery White Ink

Electronic Component

Pipe

Silicone Bottle

Egg

Metal Can

Metal Parts

Metal Parts White Ink

Metal Bucket

Aluminium Can

Food

Plastic Packaging Bag

Pillbox

Cable

Contact Us

Web: www.cycjet.com
TEL: +86-21-59970419
FAX: +86-21-59971610
Email: service@cycjet.com
ADD: 1/F, BLDG. 4, NO. 333 HUAGAO RD., HUATING
IND. ZONE, SHANGHAI(201816) P.R.C